



### AMISTAR OPTI

### PRODUCT USE

#### SUMMARY OF INFORMATION

**FORMULATION AND ACTIVE INGREDIENT:** AMISTAR OPTI is a suspension concentrate containing 100 g/l azoxystrobin and 500 g/l chlorothalonil.

**MAPP NUMBER:** 14582

**PACK SIZE:** 5 litres.

**TARGETS:**

**Winter and Spring Wheat:**

*Septoria tritici*, *Septoria nodorum*, Yellow Rust, Brown Rust. Can reduce the severity of Take-all.

**Winter and Spring Barley:**

Net Blotch, Brown Rust, *Rhynchosporium* – [Moderate control]. Can reduce the severity of Take-all. Control of Barley Spotting is also achieved when used as part of a programme with other fungicides.

**WATER VOLUME AND BCPC SPRAY QUALITY:** Apply in at least 200 litres of water per hectare using a MEDIUM quality spray (BCPC) at a pressure of at least 2 bar. Apply through conventional crop spraying equipment. In dense crops increase the water volume to 250–300 litres per hectare to improve coverage.

**PRACTICAL NOTES:**

CROPS	MAXIMUM INDIVIDUAL DOSE (LITRES PRODUCT/HA)	MAXIMUM TOTAL DOSE (LITRES PRODUCT/ HA/CROP)	MAXIMUM NUMBER OF TREATMENTS	LATEST TIME OF APPLICATION
Wheat	2 litres	-	2 per crop	Before caryopsis watery ripe stage (GS71)
Barley	2 litres	-	2 per crop	Before beginning of flowering (GS61)

**OTHER SPECIFIC RESTRICTIONS:** No more than 2 applications of products containing Qol fungicides must be applied to any cereal crop.

**RAINFASTNESS:** 1 hour.

**BUFFER ZONE RESTRICTIONS:** B

**FOR USE ONLY AS:** AN AGRICULTURAL FUNGICIDE



This product label is compliant with the CPA Voluntary Initiative (VI) guidance. NAN2752/2009