



### AMISTAR TOP

### PRODUCT USE

#### SUMMARY OF INFORMATION

**FORMULATION AND ACTIVE INGREDIENT:** AMISTAR TOP is a suspension concentrate containing 200 g/l azoxystrobin and 125 g/l difenoconazole.

**MAPP NUMBER:** 12761.

**PACK SIZE:** 5 litres.

**TARGETS:** A broad-spectrum fungicide for use in carrots, leeks, Brussels sprouts, cabbages, cauliflower, broccoli/calabrese, kale (winter greens) and collards (spring greens).

**Carrots:** Alternaria Leaf Blight, Powdery Mildew

**Leeks:** Leaf Rust, Purple Blotch – moderate

Qualified Minor Use: May give some control of White Tip

**Brassicas:** White Blister, Powdery Mildew. When used for control of other diseases AMISTAR TOP applied as a protectant treatment will also control Alternaria and *Mycosphaerella*.

#### PRACTICAL NOTES:

CROPS	MAXIMUM INDIVIDUAL DOSE (LITRES PRODUCT/HA)	MAXIMUM NUMBER OF TREATMENTS (PER CROP)	LATEST TIME OF APPLICATION
Carrot	1	2	14 days before harvest
Leek	1	2	21 days before harvest
Cauliflower, broccoli/calabrese, kale (winter greens) and collards (spring greens), cabbage, Brussels sprouts	1	2*	21 days before harvest

#### Other specific restrictions:

\*A minimum interval of 14 days must be observed between applications to all brassicae.

**RAINFASTNESS:** 2 hours.

**BUFFER ZONE RESTRICTIONS:** None.

**FOR USE ONLY AS:** AN AGRICULTURAL/HORTICULTURAL FUNGICIDE



This product label is compliant with the CPA Voluntary Initiative (VI) guidance. NAN1869/2009